

PRODUCT DATA SHEET



Bioworld Technology, Inc.

Recombinant Trk A, Human

Catalog Number: BK0332-1mg

Source: HEK 293

Quantity: 1mg

Description:

Tyrosine kinase receptor A (Trk-A) is a member of the neurotrophic tyrosine kinase receptor family which includes three members: Trk-A, Trk-B and Trk-C. Trk-A is involved in the development and maturation of the central and peripheral nervous systems through regulation of proliferation, differentiation and survival of sympathetic neurons.

Molecular Weight:

65~85 kDa, observed by reducing SDS-PAGE.

Purity:

> 95% as analyzed by SDS-PAGE.

Biological Activity:

ED50 < 1 µg/ml, measured in a neutralization assay in the presence of 10 ng/ml human β-NGF using TF-1 Cells.

Physical Appearance:

Sterile Filtered White lyophilized (freeze-dried) powder.

Formulation:

Lyophilized after extensive dialysis against PBS.

AA Sequence:

APCPDACCPHGSSGLRCTRDRGALDSLHHLPG-
GAENLTELYIENQQHLQHLELRDLR-
GLGELRNLTIVKSGLRFVAPDAFHFTPRLSRLNLS
FNALES-

LSWKTVQGLSLQELVLSGNPLHCSCALRWLQRW
EEEGLGGVPEQKLQCHGQGPLAHMPNAS-
CGVPT-
LKVQVPNASVDVGDVLLRCQVEGRGLEQAG-
WILTELEQSATVMKSGGLPSLGLT-
LANVTSDLNRKNVTCWAENDVGRAEVSQVNV
SFPASVQLHTAVEMHHWCIPFSVDGQPAPSLRWL
FNGSVLNETSFIFTEFLEPAANETVRHGCLRLNQP
THVNNGNYTLLAANPFGQASAS-
IMAAFMDNPFEPNPEDPIPVSFSPVDTNSTSGDP

Endotoxin:

< 0.2 EU/µg, determined by LAL method.

Reconstitution:

Reconstituted in ddH2O or PBS at 100 µg/ml.

Storage:

Lyophilized recombinant Human Tyrosine kinase receptor A remains stable up to 6 months at -80 °C from date of receipt. Upon reconstitution, Human Tyrosine kinase receptor A should be stable up to 1 week at 4 °C or up to 2 months at -20 °C.

Usage:

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. For research use only.