

# **GRASP55 (L215) polyclonal antibody**

Catalog: **BS3306**  Host:

Rabbit

Reactivity: Human, Mouse, Rat

# **BackGround:**

The Golgi apparatus is a highly complex organelle comprised of a stack of cisternal membranes on the secretory pathway from the ER to the cell surface. The structure is maintained by an exoskeleton or Golgi matrix constructed from a family of coiled-coil protein, the golgins and other peripheral membrane components such as GRASP55 and GRASP65. GRASP55 (Golgi reassembly stacking protien or p59) is a component of the Golgi stacking machinery. GRASP55 is highly homologous to GRASP65 and contains two PDZ domains. GRASP55 is myristoylated and palmitoylated. Unlike GRASP65, GRASP55 does not have detectable binding with the vesicle docking protein GM130 and is located on the medial-Golgi rather than cis-Golgi. Both GRASP55 and GRASP65 function in the stacking of Golgi cisternae. The novel coiled-coil protein golgin 45 interacts with GRASP55 and the GTP form of Rab 2, suggesting that GRASP55 and golgin 45 form a Rab 2 effector complex on medial-Golgi essential for normal protein transport and Golgi structure. ERK2 directly phosphorylates GRASP55, which is phosphorylated in mitotic cells, suggesting that mitogen-activated protein kinase kinase (MKK)/ERK pathway phosphorylates the Golgi during mitosis.

## **Product:**

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

**Molecular Weight:** 

~ 47 kDa

**Swiss-Prot:** 

Q9H8Y8

## **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

**Applications:** 

WB: 1:500~1:1000


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

## **Specificity:**

GRASP55 (L215) polyclonal antibody detects endogenous levels of GRASP55 protein.

DATA:



Western blot (WB) analysis of GRASP55 (L215) polyclonal antibody at 1:500 dilution

Lane1:HEK293T whole cell lysate

Lane2:Mouse heart tissue lysate

Lane3:PC12 whole cell lysate

#### Note:

For research use only, not for use in diagnostic procedure.

#### **Bioworld Technology, Inc.** Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 6122933841 Fax:

# Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. **Email:** info@biogot.com Tel: 0086-025-68037686 0086-025-68035151 Fax: