

ADCY 4 (L226) polyclonal antibody

Catalog: BS3421

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Adenylyl cyclases function to convert ATP to cyclic AMP in response to activation by a variety of hormones, neurotransmitters and other regulatory molecules. Cyclic AMP, in turn, activates several other target molecules to control a broad range of diverse phenomena such as metabolism, gene transcription and memory. Adenylyl cyclases respond to receptor-initiated signals, mediated by the Gs and Gi heterotrimeric G proteins. The binding of an agonist to a Gs-coupled receptor catalyzes the exchange of GDP (bound to $G\alpha_s$) for GTP, the dissociation of $GTP-G\alpha_s$ from $G\beta\gamma$ and $G\alpha_s$ -mediated activation of adenylyl cyclase. Adenylyl cyclase IV (AC IV) and IX mRNA are expressed in all kidney nephron segments. AC IV exhibits moderate staining in type II and type IV fibrocytes in rat cochlea and immunoreactivity is also observed in type I fibrocytes. Activation of the D2 dopaminergic and m4 muscarine receptors inhibits the activity of adenylyl cyclase isozymes I, V, VI and VIII, whereas type II, IV and VII are stimulated and type III is not affected.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

Molecular Weight:

~ 120 kDa

Swiss-Prot:

Q8NFM4

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

ADCY 4 (L226) polyclonal antibody detects endogenous levels of Adenylate cyclase type 4 protein.

DATA:



Western blot (WB) analysis of ADCY 4 (L226) polyclonal antibody at 1:500 dilution

Lane1:Hela cell lysate

Lane2:Jurkat cell lysate

Lane3:sp2/0 cell lysate

Lane4:PC12 cell lysate

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151