

## eIF3ζ (R135) polyclonal antibody

Catalog: BS3860

Host: Rabbit

Reactivity: Human, Mouse, Rat

### BackGround:

Translation initiation in eukaryotes necessitates the assembly of an 80S ribosomal complex containing methionyl initiator tRNA (Met-tRNA<sup>i</sup>Met), which is base paired at the initiation codon (AUG, GUG) in eligible transcripts. Eukaryotic initiation factors (eIFs) are utilized in a sequence of reactions that leads to 80S ribosomal assembly and initiation of translation. Eukaryotic initiation factor 3 (eIF3) is the largest family of eIFs and consists of at least 12 unique subunits in mammals. eIFε, also known as eIF p47, binds to the 40S ribosome and promotes the binding of methionyl-tRNA<sup>i</sup> and mRNA and associates with the complex p170-eIF3.

### Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

### Molecular Weight:

~ 64 kDa

### Swiss-Prot:

O15371

### Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

### Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200


### Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

### Specificity:

eIF3ζ (R135) polyclonal antibody detects endogenous levels of eIF3ζ protein.

### DATA:




Western blot (WB) analysis of eIF3ζ (R135) pAb at 1:1000 dilution

Lane1:The Brain tissue lysate of Mouse(40ug)

Lane2:The Brain tissue lysate of Rat(20ug)

Lane3:HEK293T whole cell lysate(10ug)

Lane4:MCF-7 whole cell lysate(20ug)



Immunohistochemistry (IHC) analyzes of eIF3ζ (R135) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

### Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: [info@bioworld.com](mailto:info@bioworld.com)

Tel: 6123263284

Fax: 6122933841

### Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: [info@biogot.com](mailto:info@biogot.com)

Tel: 0086-025-68037686

Fax: 0086-025-68035151