

**IFI-16 (N772) polyclonal antibody**

Catalog: BS3865

Host: Rabbit

Reactivity: Human

BackGround:

Interferon-gamma inducible protein 16 (IFI16) belongs to the HIN-200 family of transcriptional regulator linked to cell cycle regulation and differentiation by modulating the activities of multiple transcriptional factors, such as p53 and Rb. The HIN-200 (hematopoietic interferon-inducible nuclear antigens with 200 amino acid repeat) family members contain a DNA binding domain, a transcriptional regulatory domain, DAPIN/PAAD domain associated with interferon response and a binding domain for BRCA1. IFI16 may have a role in the regulation of hematopoietic cell differentiation and also be involved in DNA repair since it becomes a component of the DNA repair multi-protein BASC complex after UV-induced DNA damage. IFI16 is strongly induced by gamma interferon in vivo.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

Molecular Weight:

~ 88 kDa

Swiss-Prot:

Q16666

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

IHC: 1:50~1:200

Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

IFI-16 (N772) polyclonal antibody detects endogenous levels of IFI-16 protein.

DATA:**Note:**

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogol.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151