

GDI1 polyclonal antibody

Catalog: BS5731

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Rab proteins, a family of Ras-related small GTP-binding proteins, play a key role in regulating intracellular vesicle trafficking. Rab GDP dissociation inhibitor (Rab GDI or GDI3) forms a soluble complex with Rab proteins and thereby prevents the exchange of GDP for GTP. In mammals, there exist two major isoforms, Rab GDI α (also known as XAP-4) and Rab GDI β . While the mammalian Rab GDI β -genes are ubiquitously expressed, the Rab GDI α genes are predominantly brain-specific. Since it is expressed predominantly in neural and sensory tissues, Rab GDI α may serve a specific function in neural signal transmission. The gene sequences for the Rab GDI proteins are extremely conserved in evolution, with substantial homology preserved across three eukaryotic kingdoms.

Product:

1mg/ml in PBS with 0.1% Sodium Azide, 50% Glycerol.

Molecular Weight:

~ 55 kDa

Swiss-Prot:

P31150

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

GDI1 polyclonal antibody detects endogenous levels of GDI1 protein.

DATA:



Western blot (WB) analysis of GDI1 polyclonal antibody at 1:500 dilution

Lane1: MCF-7 cell lysate

Lane2: Mouse liver tissue lysate

Lane3: Rat liver tissue lysate

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151