

HA-Tag polyclonal antibody

Catalog:	BS61893	Host:	Rabbit	Reactivity: All
	1			mund and the muniteria > 0.5% (her SDS DACE)
BackGround:				munogen and the purity is $> 95\%$ (by SDS-PAGE).
Human influenza hemagglutinin (HA) is a surface glyco-				Applications:
protein required for the infectivity of the human virus.				WB: 1:500~1:5000
The HA tag is derived from the HA molecule corre-			lecule corre-	Storage&Stability:
sponding to amino acids 98-106 has been extensively				Store at 4 ${}^{\rm C}$ short term. Aliquot and store at -20 ${}^{\rm C}$ long
used as a general epitope tag in expression vectors. Many				term. Avoid freeze-thaw cycles.
recombinant proteins have been engineered to express the			o express the	Specificity:
HA tag, which does not appear to interfere with the bio-			with the bio-	The antibody detects over-expressed or recombinant pro-
activity or the biodistribution of the recombinant protein.			nant protein.	teins containing the HA epitope tag.
This tag facilitates the detection, isolation, and purifica-			and purifica-	DATA:
tion of the proteins.				
Product:				Western blot (WB) analysis of HA-Tag polyclonal antibody at 1:500 di-
Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide,			odium azide,	lution
50% glycerol, pH7.2				Lane1:HEK293T whole cell lysate,transfected with
Molecular	Molecular Weight:			pcDNA3.1-Flag-p62-HA.
				Lane2:HEK293T whole cell lysate
Swiss-Prot	•			Note:
				For research use only, not for use in diagnostic procedure.

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific im-