

ACE2 mutant protein:L391G,human,recombinant(hFc Tag)

Catalog:	NCP0094	Host:	Human	Source:	293F

BackGround:

Angiotensin-converting enzyme 2 (ACE2) is also known as ACEH (ACE homolog), is an integral membrane protein with considerable homologous to ACE, which belongs to the peptidase M2 family. ACE2 is an exopeptidase that catalyses the conversion of angiotensin I to the nonapeptide angiotensin, or the conversion of angiotensin II to angiotensin 1-7. ACE2 may be an important regulator of heart function. In case of human coronaviruses SARS and HCoV-NL63 infections, ACE-2 serve as functional receptor for the spike glycoprotein of both coronaviruses. ACE2 is activated by chloride and fluoride, but not bromide and Inhibited by MLN-4760, cFP_Leu, and EDTA, but not by the ACE inhibitors linosipril, captopril and enalaprilat. ACE2 is active from pH 6 to 9, and the optimum pH is 6.5 in the presence of 1 M NaCl.

Product:

PBS,pH7.4

Size:

100ug/1mg

Swiss-Prot:

Q9BYF1-1

Purification&Purity:

The protein was purified from 293F and the purity is > 95% (by SDS-PAGE).

Molecular Weight:

The protein has a calculated MW of 111.7 kDa. The protein migrates as 125-150 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

The L391G(Leucine to glycine at amino acid position 391) mutant human Ace2 protein has been produced in a mammalian expression systems.


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at -20 $^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Protein length:

AA Gln 18 - Ser 740 (Accession # Q9BYF1-1)


DATA:



1-293F negative control

2-293F transfection IgG2-ACE2-391G-hFC Supernatant of cell cracking fluid

3-293F transfection IgG2-ACE2-391G-hFC Cell supernatant



Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add:	1660 South Highway 100, Suite 500 St. Louis Park,
	MN 55416,USA.
Email:	info@bioworlde.com
Tel:	6123263284
Fax:	6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151