

PRODUCT DATA SHEET



Bioworld Technology, Inc.

CD89 Recombinant Protein

Catalog: NCP0335

Host: E.coli

Tag: His-tag

BackGround:

Fc (Ig constant fragment) receptors ensure protection of the host against foreign antigens, such as microorganisms and pathogens, by removing Ig-coated antigen complexes from circulation. Fc receptors are present on lymphoid and myeloid derivatives, where they mediate endocytosis of Ig-antigen complexes, antibody production in B cells through T cell antigen presentation, cytotoxicity and the release of cytokines and reactive oxygen species. CD89, also known as Immunoglobulin α Fc receptor (Fc α RI), is a glycoprotein that is expressed on the surface of neutrophils, monocytes, macrophages and eosinophils and is a potent cytotoxic trigger molecule. CD89 specifically interacts with aggregated IgAs, not IgG. Cytokines can initiate a high-binding state for CD89 through a mechanism that involves the intracellular C-terminus of CD89. Polymorphisms within the gene encoding CD89 may be associated with susceptibility to IgA nephropathy, a form of glomerulonephritis characterized by IgA antibody deposition in the kidney glomerulus.

Product:

PBS, 4M Urea, PH7.4

Molecular Weight:

~23kDa

Swiss-Prot:

P24071

Purification&Purity:

Transferred into competent cells and the supernatant was purified by NI column affinity chromatography and the purity is > 85% (by SDS-PAGE).

Restriction Sites:

NdeI-XhoI


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Expression Vector:

pet-22b(+)

DATA:



Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151