

PRODUCT DATA SHEET



Bioworld Technology, Inc.

Recombinant Human Fibroblast Growth Factor-19 (rHuFGF-19)

Catalog Number: PR1025

Source: Escherichia coli.

Quantity: 5µg/25µg/1.0mg

Description

Fibroblast growth factor 19 (FGF19) belongs to the large FGF family which has at least 23 members. All FGF family members are heparin binding growth factors with a core 120 amino acid (aa) FGF domain that allows for a common tertiary structure. FGFs are expressed during embryonic development and in restricted adult tissues. Four distinct but related classes of FGF receptors, FGF R1, 2, 3, and 4, exist. Unlike most FGFs which bind to and activate more than one FGF receptor, FGF19 is a specific ligand for FGF R4.

Molecular Weight:

Approximately 21.8 kDa, a single non-glycosylated polypeptide chain containing 195 amino acids.

Purity:

>95% by SDS-PAGE and HPLC analyses.

Biological Activity:

Fully biologically active when compared to standard. The ED50 as determined by the dose-dependent stimulation of the proliferation of balb/c 3T3 cells is 100-150ng/ml, corresponding to a Specific Activity of $\square 6.7 \times 10^3$ IU/mg.

Physical Appearance:

Sterile Filtered White lyophilized (freeze-dried) powder.

Formulation:

Lyophilized from a 0.2mm filtered concentrated solution in PBS, pH 7.4.

AA Sequence:

MRPLAFSDAGPHVHYGWGDPILRLRHL
YTSGLPHGLSSCFLRIRADGVVDCARGQ

SAHSLLEIKAVALRTVAIKGVHSVRYL
CMGADGKMQGLLQYSEEDCAFEIEIRP
DGYNVYRSEKHRLPVSLSSAKQRQLYK
NRGFLPLSHFLPMLPMVPEEPEDLRGH
LESDFSSPLETDSMDPFGLVTGLEAV
RSPSFEK

Endotoxin:

Less than 1EU/mg of rHuFGF-19 as determined by LAL method.

Reconstitution:

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1% BSA to a concentration of 0.1-1.0 mg/ml. Stock solutions should be apportioned into working aliquots and stored at $<-20^{\circ}\text{C}$. Further dilutions should be made in appropriate buffered solutions.

Storage:

This lyophilized preparation is stable for several weeks at $2-8^{\circ}\text{C}$, but should be kept at -20°C for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at $2-8^{\circ}\text{C}$. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20°C to -70°C . Avoid repeated freeze/thaw cycles.

Usage:

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. NOT FOR HUMAN USE. Made in China

MADE IN CHINA

Bioworld Technology, Inc.

1660 South Highway 100, Suite 500 St. Louis Park, MN

55416, USA.

Tel: 6123263284

Email: info@bioworld.com

Fax: 6122933841

Bioworld technology, co, Ltd.

No 9, weidi road Qixia District Nanjing, 210046, P, R.China.

Tel: 0086-025-86371664

Email: info@biogot.com

Fax: 0086-025-86213570