

PEX11A polyclonal antibody

Catalog: BS32494

Host: Rabbit

Reactivity: Human

BackGround:

Peroxisomal membrane protein 11A: May be involved in peroxisomal proliferation and may regulate peroxisomes division . May mediate binding of coatmer proteins to the peroxisomal membrane (By similarity). Promotes membrane protrusion and elongation on the peroxisomal surface

Product:

1mg/ml in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

Molecular Weight:

~28.4 kDa

Swiss-Prot:

O75192

Purification&Purity:

The antibody was purified by immunogen affinity chromatography.

Applications:

WB (1/500 - 1/1000), IHC (1/50 - 1/200), FC (1/10 - 1/50)


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.


Specificity:

Recognizes endogenous levels of PEX11A protein.


DATA:



Western blot analysis of DLL1 expression in A549 (A), mouse brain (B), rat brain (C) whole cell lysates.



Immunohistochemical analysis of DLL1 staining in rat pancreas formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151