

**ZSCAN10 polyclonal antibody**

Catalog: BS33247

Host: Rabbit

Reactivity: Human, Mouse

BackGround:

Zinc finger and SCAN domain-containing protein 10: Embryonic stem (ES) cell-specific transcription factor required to maintain ES cell pluripotency. Can both activate and /or repress expression of target genes, depending on the context. Specifically binds the 5'-[GA]CGCNGGCG[CT]-3' DNA consensus sequence. Regulates expression of POU5F1/OCT4, ZSCAN4 and ALYREF/THOC4

Product:

1mg/ml in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

Molecular Weight:

~86.8 kDa

Swiss-Prot:

Q96SZ4

Purification&Purity:

The antibody was purified by immunogen affinity chromatography.

Applications:

WB (1/500 - 1/1000)

Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

Recognizes endogenous levels of ZSCAN10 protein

DATA:

Western blot analysis of HOXB5 expression in PC12 (A), HeLa (B), HCT116 (C) whole cell lysates.

Immunofluorescent analysis of HOXB5 staining in H460 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark. Phalloidin - AF594 was used to stain Actin filaments (red). DAPI was used to stain the cell nuclei (blue).

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151