

**EFCAB7 polyclonal antibody**

Catalog: BS33475

Host: Rabbit

Reactivity: Human, Mouse

BackGround:

EF-hand calcium-binding domain-containing protein 7: Component of the EvC complex that positively regulates ciliary Hedgehog (Hh) signaling. Required for the localization of the EVC2:EVC subcomplex at the base of primary cilia

Product:

1mg/ml in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

Molecular Weight:

~72.0 kDa

Swiss-Prot:

A8K855

Purification&Purity:

The antibody was purified by immunogen affinity chromatography.

Applications:

WB (1/500 - 1/1000)

Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long

term. Avoid freeze-thaw cycles.

Specificity:

Recognizes endogenous levels of EFCAB7 protein

DATA:

Western blot analysis of IFITM5 expression in T47D (A), PC3 (B), SW480 (C), HT29 (D), PANC1 (E) whole cell lysates.

Flow cytometric analysis of A431 cells using Anti-IFITM5 Antibody.

The cells were fixed with 2% paraformaldehyde (10 min) and then permeabilized with 90% methanol for 10 min. The cells were incubated in 2% bovine serum albumin to block non-specific protein-protein interactions followed by the antibody at 37 °C for 60 min. The secondary antibody Goat Anti-Rabbit IgG (H&L) - AF488 was incubated at 37 °C for 40 min. Isotype control antibody (blue line) was used under the same condition.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151