



## PRODUCT DATA SHEET

Bioworld Technology, Inc.

### EXOC7 polyclonal antibody

Catalog: BS34508

Host: Rabbit

Reactivity: Human, Mouse, Rat

#### BackGround:

Exocyst complex component 7: Component of the exocyst complex involved in the docking of exocytic vesicles with fusion sites on the plasma membrane. In adipocytes, plays a crucial role in targeting SLC2A4 vesicle to the plasma membrane in response to insulin, perhaps directing the vesicle to the precise site of fusion (By similarity). It is required for neuron survival and plays an essential role in cortical development (By similarity)

#### Product:

1mg/ml in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

#### Molecular Weight:

~83.4 kDa

#### Swiss-Prot:

Q9UPT5

#### Purification&Purity:

The antibody was purified by immunogen affinity chromatography.

#### Applications:

WB (1/500 - 1/1000)

#### Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

#### Specificity:

Recognizes endogenous levels of EXOC7 protein

#### DATA:

Western blot analysis of IFNGR1 (Phospho-Y457) expression in HepG2 (A), HEK293T (B) whole cell lysates.

Immunohistochemical analysis of IFNGR1 (Phospho-Y457) staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Immunofluorescent analysis of IFNGR1 (Phospho-Y457) staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AF594-conjugated secondary antibody (red) in PBS at room temperature in the dark.

#### Note:

For research use only, not for use in diagnostic procedure.

#### Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: [info@bioworld.com](mailto:info@bioworld.com)

Tel: 6123263284

Fax: 6122933841

#### Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: [info@biogot.com](mailto:info@biogot.com)

Tel: 0086-025-68037686

Fax: 0086-025-68035151