



PRODUCT DATA SHEET

Bioworld Technology, Inc.

CLCA3P polyclonal antibody

Catalog: BS35803

Host: Rabbit

Reactivity: Human

BackGround:

CLCA3P (chloride channel accessory 3 pseudogene) is a pseudogene related to the CLCA family of chloride channel accessory proteins. CLCA proteins regulate chloride conductance and are involved in mucus production and inflammation; however, CLCA3P itself is a pseudogene with limited functional significance.

Product:

1mg/ml in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

Molecular Weight:

N/A (CLCA pseudogene)

Swiss-Prot:

Q9Y6N3

Purification&Purity:

The antibody was purified by immunogen affinity chromatography.

Applications:

WB (1/500 - 1/1000)

Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long

term. Avoid freeze-thaw cycles.

Specificity:

Recognizes endogenous levels of CLCA3P protein

DATA:

Western blot analysis of PDGFR alpha expression in MG63 (A) whole cell lysates.

Immunofluorescent analysis of PDGFR alpha staining in MG63 cells.

Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with an AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark. Phalloidin - AF594 was used to stain Actin filaments (red). DAPI was used to stain the cell nuclei (blue).

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,
MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,
P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151