

mtTFA Recombinant Rabbit mAb

Catalog: BS50153

Host: Rabbit

Reactivity: Mouse, Rat

BackGround:

Enables mitochondrial promoter sequence-specific DNA binding activity. Involved in mitochondrial transcription. Acts upstream of or within mitochondrial respiratory chain complex assembly. Located in mitochondrial nucleoid. Is active in mitochondrion. Is expressed in several structures, including brain; branchial arch; genitourinary system; limb; and pancreas. Used to study Kearns-Sayre syndrome and Parkinson's disease. Human ortholog(s) of this gene implicated in Alzheimer's disease; Huntington's disease; Parkinson's disease; amyotrophic lateral sclerosis; and mitochondrial DNA depletion syndrome 15. Orthologous to human TFAM (transcription factor A, mitochondrial). [provided by Alliance of Genome Resources, Jun 2025]

Product:

1mg/ml in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA.

Molecular Weight:

24 kDa

Swiss-Prot:

P40630,Q91ZW1

Purification&Purity:

Affinity Purification

Applications:

WB: 1:1000-1:5000
ICC/IF: 1:200-1:500
FC: 1:500
IP: 1:20-1:50


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.


Specificity:

The antibody detects endogenous levels of it.

DATA:



Western blot analysis of extracts from Mouse heart tissue using it at 1:1000.



Immunofluorescence analysis of Jurkat cells labelling BUB3 with it.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151