



Ractopamine monoclonal antibody

Catalog: MB30069

Host: Mouse

Reactivity: N/A

BackGround:

Ractopamine is a beta-adrenergic receptor agonist used as a feed additive to promote leanness in livestock. Its residue detection in meat products is required in many countries, and antibody-based ELISA assays provide rapid screening for ractopamine.

Product:

1mg/ml in 0.01M Phosphate Buffered Saline, pH 7.2, 50% glycerol, 0.05% Sodium Azide.

Molecular Weight:

N/A (small molecule hapten)

Swiss-Prot:

Purification&Purity:

Protein G purified

Applications:

ELISA: Use at an assay dependent dilution.

Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

Reacts only with Ractopamine.

DATA:

Western blot analysis of PTP1B expression in zebrafish (A) whole cell lysates.

Immunohistochemical analysis of PTP1B staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Immunofluorescent analysis of PTP1B staining in SKNSH cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151